SUPPLEMENT TO

The Gazette



of **Endia**

No. 19]

NEW DELHI, SATURDAY, MAY 30, 1959/JAISTHA 9, 1881

OFFICIAL PAPERS

Reported attacks and deaths from Cholera, Smallpox, Plague and Typhus in districts in India during the week ending the 2nd May, 1959

	Choler	a	Smallp	οx	Plagu	c	Ch	olera	Small	lpox	Pla	gue	
	C.	D.	C.	D.	C.	D.	C). I), C.	D	. С	2.	D.
And	hra P	rades]	h				1	Delbi					
Visakhapatnam				ī			Delhi City			6			
East Godavari .			28	11			New Delhi		٠., `	1			
West Godayari .			19	4			Delhi Civil Lines zone			7	3		
Krishna			3				Delhi Shahdara zone .			2			
Guntur			26	3			TOTAL			16	3		
Nellore			7	3			Total for w/e 25-4-59			12	4		
Kurnool			6	2		••	Total for w/c 18-4-59			7			
Cuddapah			29	6			Himac	hai Pr	adesh				
Anantapur			13										
TOTAL			131	30			Mahasu	• •		2	• •	••	• •
Total for w/e 25-4-59			148	35			TOTAL	• •	- •	2	• •	• •	• •
Total for w/c 18-4-59	I	I	149	31			Total for w/e 25-4-59	-•	••	• •	••	• •	• •
	.	sam					Total for w/c 18-4-59?	••	• •	4	- •	٠	• •
	Д	92111					1	Kerala	ı			1	
TOTAL*	••			• •		• •		"N	.R.''				
Total for w/e 25-4-59			5				Madhya	Dhada	a L				
Total for w/e 18-4-59			30	3			_						
	D.	har					•	'N.R.''					
	2,							Mad	ras				
Muzaffarnagar			5	1	••	٠.	Madras city			-0	_		
Monghyr	• •	• •	6	2			· ·	• •	• •	28	5	• •	• •
Purnea	• •		5,0	13		• •	Chingleput South Arcot	• •	• •	4	2	• •	. •
Santal Parganas .	. •	• •	1	• •	••	٠.	FRE	• •		30	II	••	••
Hazaribagh	••	••	11	3	• •	• •	· ·	• •	•••	I	• •	• •	• • •
Ranchi	••	••	33	4	• •	••	Madurai	••		19	4	• •	••
Dhanbad		••	6	• •	• •	• •	Wineth Anna	• •	••	3	I	٠.	••
Singhbhum		• •	1	• •	.,	••	Salem	••	••	7	2	• •	• • •
Patna		• •	1	I	• •		Coimbatore	••		43	8	• •	• •
TOTAL		• •	114	24	٠.	••	radi - 30111 - 11.	••		27	8	••	••
Total for w/e 25-4-59		• •	94	24	• •	• •	Kanya Kumari'.	••	••	2	73	• •	••
Total for w/e 18-4-597	1	ĭ	132	28	• •	••	TOTAL!	••	-•	4 168		••	•••
	Bon	abay					Total for w/e 25-4-59	••			43	* *	••
	۷,,	۱.R."					Total for w/e 18-4-59		:	159	51 **	• •	••
Tralemetics of Courts			_	_	_		10001101 W/E 10-4-39	1		176	55	• •	••

Reported attacks and deaths from Cholera, Smallpox, Plague and Typhus in districts in India during the week ending the 2nd May, 1959

	Cholera	\$m	all po x	' Pla	ague		Cholera		Smellpo:	¥	Plague	•
	C. D.	C.	D.	C.	D.		C.	D.				
	Manipur								C. sh <i>—con</i> i	D.	C.	D.
Total						Bereilly						
Total for w/e 25-4-59	1		••	• • • • • • • • • • • • • • • • • • • •	••	Bijnor		•	. 21	8	• •	••
Total for w/c 18-4-59					•••	•	• ••	•	. 4	2		• •
Mv	80 7 0					Dehra Dun		• •	. 2		• •	
Bangalore		_				Deoria]			. 3	I		
Chier to		•	• •	• •	••	Etawah			I	3		
	••	. 6	1	• •	••	Fatchpur			1		• •	
Chikmagalur	• • • • •	. 11	3	• -	• •	Faizabad .			4	2		
Kolar		. І	I	• •		Ghezipur		• •	2	_ I		
Mandya		. 9			• •	Gharwal .					• •	••
Mysore		. 8	I			Kanpur	• ••	••	4	3	• • •	••
Shimoga		3				Kheri	• • •	• •	9	4	• •	• •
Belgaum						• • •	• ••	• •	2	1	• •	• •
Bijapur			3	••	••	Merrut		• •	1	I		
· •			3	• •	• •	Moradabad			21	16	• •	٠.
Dharwar		3	2	• •	• •	Pilibhlt			7	6	• -	
North Kanara		2		• •	• •	Rampur			7	3		••
South Kanara		17	2			Saharanpur			8	3	••	
TOTAL		97	16			Shahjahanpur				_		••
Total for w/e 25-4-59.		152	48			Sitapur	• •	• •	7	4	• •	••
Total for w/e 18-4-59.		165	42			-	• •	• •	6	• •	• •	• •
	Orlssa			and.		Sultanpur.	• •	• •	I	• • •	• •	• •
Cuttack		6				Varanasi	• •	• •	• -	3		• •
Puri			• •	••	••	TOTAL .	• •	• •	154	70	••	••
	••	11	3	••	• •	Total for w/e 25-4-59		• •	165	67	••	••
Ganjam	••	3	••	••	••	Total for w/e 18-4-59	2	• •	130	46	• •	••
Koraput		8	3		• •		t Beng	ral				
Sambalpur		24	I			Burdwan	• •		4	3		
Sundergarh		11	I		••	Birbhum				5		••
Keonjhar		29	6			Bankura			19	7	٠.	
Bolangir-Patna .		73	27			Midnapur	. 5	2	8	3		
Mayurbhani .		2		• •		Hooghly	. <u>.</u> 3		10		••	••
	**			••	• •	Howrah	=			7	••	• •
Kalahandi		52	15	• •	- •		11	1	••		• -	• •
TOTAL		219	56	••	• •	24-Parganas	22	6	15	9	• •	• •
Total for w/e 25-4-59. Total for w/e 18-4-59	4 2 2	317 482	61 93	• •		Calcutta	41	13	3	ż	• •	• •
1		402	93	••	••	Nadia '	••	• •	4	2	• •	• •
Po	ndich erry					West Dinajpur 1			60	30		••
TOTAL		3	3		••	Darjeeling			43	17	• •	
Total for w/e 25-4-59		6	5	• •	• •	Malda		• -	9	5		••
Total for w/e 18-4-59		6	5	••	• •	Total	82	23	178	80		
	Punjab					Total for w/e 25-4-59	49	15	326	97		
	"N.R." Rajasthan		•			Total for w/e 18-4-59	28	11	266	136	••	
	"N.R."					Total for India (Excludi	ing Bo	mbay,	Kerala,	Madh	ya Pr	adesh,
	Tripura	,				Punjab and Rajasthan)	82	23	1082	325	••	••
TOTAL						_ Corresponding \			0.			
Total for w/e 25-4-59		• •			,	Total for w/e 25-4-59	53	17	1384	392	••	••
Total for w/e 18-4-59	I			••	••	Corresponding	36	16	1447	439		
Uttar Pr	eadesh					Total for w/e 18-4-59	5 0	10	1547	43¥	••	••
Allahabad		3	I			ARREA	R INF	ORMA	MOIT			
Azamgarh		26	5				В	omba	y			
_			_	••			w/e	25-4-5	59 '			•
Aligarh		4	I	••	• •	Greater Bombay .	,-	J 7 .	17	6		
Ballia		9	2		• •		••	••	-			
Bara Banki	••	I	• •		• •	Amreli	••	••	I	• •	••	••
Explanation of Symbols	used:—C.=	Caşes;	D. – D	eaths;,	, -N1	N.R." Information no	ot receiv	red'				

Reported attacks and deaths from Cholera, Smellpox, Plague and Typhus in districts in India during the week ending the 2nd May, 1959

		Chol	CTR	Small	lpox	Plag	ue	Cholera Smallpox Plague							
		C.	D.	Ç.	D.	C.	D.	C. D. C. D. C. D.							
	В	omba;	у—соп	td.				Rajasthan-conta.							
Ahmednagar				46	2			w/c 25-4-59							
East Khandesh				2				Jaipur 6							
Nasik .				38	I			Jhunjhunu 19 5							
Poons .				12	I			Sikar							
South Satara				17				Nagaur 18 3							
Sholapur .				4			٠.	Kotah 38 3							
Nagpur .				I	1			Bundi , 4 I							
West Khandesh				6		٠.		Jalore 16 8							
Ramagiri .				2				Barmer 9							
TOTAL .				146	11			Sirohi							
		Raja	sthan	•				TOTAL 152 30							
		-	/c 18-4	-59				Remarks							
Jaipur .				I				COMPANIAL CONTRACTOR C							
Jhunjhunu				23	8			Smallpox.—Heavy incidence was reported from							
Sikar .				18	8			Keonjhas, Bolangir and Kalahandi districts of Orissa							
Alwar .				6	4			State. Heavy incidence was also reported from West							
Bikaner .				6	2			Dinajpur and Darjeeling districts of West Bengal.							
Kotah .				56	7	• • •	• •	CholeraHeavy or epidemic condition was not re-							
Bundi .			• •	4	'n	• • •	• •								
TOTAL			••	114	30	••	• •	Explanation of symbols used:—							
				C=Cu	ecs; I	Dea	ths; _	Nil; "N.R."-Information not received.							

NEW DELHI 2 INDIA, The 25th May, 1959

H.R. SHARMA, for Registrar General, India.

Epidemic=100 cases or more per week in a district with a population of 10 lakhs. Heavy=50-100 cases per week in a district with apopulation of 10 lakhs.

Prosper with the NATION

INVEST YOUR SAVINGS II.

GOVERNMENT OF INDIA'S

Small Savings Scheme

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTSSOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL PLAN SAVINGS CERTIFICATES	Interest at 5.41 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/ Individual holding upto Rs. 25,000/
I0-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	4 per cent interest paid annually. Available in multiples of Rs. 50/- upto Rs. 25,000/ Individual holding upto Rs. 25,000/
POST OFFICE SAVINGS BANK ACCOUNTS	21 per cent interest added on deposits upto Rs. 10,000/- and 2 per cent on balance upto Rs. 15,000/

15-YEAR ANNUITY CERTIFICATES

Issue Prices : Rs. 3,325/-, Rs. 6 650/-, Rs. 13,300/-, & Rs. 26,600/-

Refunded together with compound interest at 4.25 per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX For further particulars and/or rules governing these investments please write

to the National Savings Commissioner, Nagpur or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

DA - 58/231

0							Doeths	from			_			
To	WD\$	Mid-ye Popa, F (000)		B.R.*	c.	s.	P.	F, 1	D.D.	R.D.	M.D.	Total	D.R.•	1,D,
Andhr	a Pradesh				"	'N.R.''								
Азвато					•	"N.R."								
Bihar					,	"N.R."								
Bombi	ıy					"N.R."								
Delhi					c.	'N.R."								
Kerala						"N .R."								
	a Pradesh					"N.R."								
Madra	_													
	•	4.	21	42.0				1	1				g. 4	
Ambur Arrupukottsi Bodinsyakunur		4 4 64 43	21 50 22	22·8 40·6 26·6	••	4 # *** *	••	2		••	i	7 14 6	7·6 11·4 7·3	1 2 4
Chidambaram Coimbatore Cuddalore	· ·	44 279 77	29 274 98	34'3 51'1 66'2	••		-		I 18 2	 24 3	 4 1	12 118 21	14'2 22'0 14'2	37 5
Dindigul Brode Gobichedpalayan	· ·	103 79 51	109 70 24	55.0 46.1 24.5	::	::		 I	 	3 2	 I	17 20 4	8·6 13·2 4·1	1 5 1
Gudiyattam Kancheepuram Karaikudi	• •	60 94 49	39 64 43	33·8 35·4 45·6		••	• •	3.	 I	 7 1	••	10 20 I1	8·7 11·1 11·7	6 4 5
Karur . Kumbakonam Madras City .		60 119 2,110	57 65 1,245	49°4 28°4 30°7	••	 1	•••	 4 68	 66	 1 132		8 28 492	6·9 12·1	I 8 142
Madurai Mayuram Maliapalayam	• •	510 55 44	406 55 23	41.4 53.0 27.2	••	::	::	18 2	14	28	.5 .:	135 8 7	13*8 7·6 8·3	38 I 2
Negapattinem Negercoil Ootecumund	· ·	62 113 53	57 51 39	47.8 23.5 57.6			•••	4 	3 1 3	1 4 4	3	18 18 11	8.3 12.1	4 2 4
Palni† Palayamkottai Periyakulam	• •	50 36	51 32	53·0 46·2	::	::		3	·· I	1 4	3	29 16	30·2	4 5
Poliachi Pudukottei R ajapalayam	• •	63 56 77	64 56 24	52·8 52·0 16·2	::	••	••	I 2 2	 	 	••	19 12 6	15.7 11.1 4.1	3 1
Salem Sriangam Srivilliputtur	: :	² 93 48 46	165 30 27	29·3 32·5	••	••	••	 2	 r	16 1 3	 4	64 7 26	7.6 29.4	6 1 5
Tanjore Tiruchirapalli Tirunalyeli	. ,	138 285 86	113 173 56	42 · 6 31 · 6 33 · 9	••	••	••	3 I	2 I 2	10 2 6	••	53 44 23	20.0 13.9 13.0	9 10 9
Tiruppur Tiruvannamalai Tuticorin	• •	77 48 124	71 32 114	47'9 34'7 47'8	• •	••	••	I 2 I	 5	2 1 8	••	16 16 34	10·8 17·3 14·3	8 5 13
Vaniyambadi Vellorc . Villapuram .	· ·	46 147 42	137 30	23.7 48.5 37.1	•••	 2	••	ï	1 6 2	3 13 1	ï	10 54 9	11.1 10.1 11.3	2 12
Virudhuneger		59	48	42.3	••	••	••	1	I	3		8	7.1	2
Total		5,839	4,085	36•4	••	14	••	139	149	289	24	1,437	12.8	367
	Мувоге				"N	I.R."								

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of Symbols used :—B.Bi=rths; B.R.—Birth Rate; C.—Cholers; S.—Smallpox; F.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoss; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; L.D.—Infamile Deaths (included in total deaths); ...—Mil information; "N.R."—Information not received.

									Deaths from: -								_		
To₩	o.				Mid-ye ppnE (000)		В.	8.R	•	C	. s	. P.	. F	. D.D.		M.D.	•	D,R,*	I.D.
Oru	lea.																		
Be trampur Cuttack Puri		:	:		84 134 57	1.	18 41 33	29 · 54 · 30 ·	9	•••	 .4 		2 6 4	7 5 9	1 12 	 ::	37 44 23	22·9 17·2 20·9	9 6 6
	To	T AL	•		275	22	22	42	2 .	• •	4		12	21	13	5	104	19.8	21
Pond	icher	ry			6\$	9	6	73 •	4 .	•	••	••	I	2	3	1	12	9 .1	6
Pus	jab																		
Ambala Amritear Batala		:	:	:	63 367 68	I	28 80 34	23 25 26	٠6	··	••			6 	3 17 2		17 64 15	14·1 9·1	3 28 6
Bhiwani Ferozepur	•			•	60		3 9	33	۰9	••	••		14	3	I	••	26 '	22.6	7
Hisear	ı	•	•	•	42		18	22	· 4	• •	• •	••	5	I	1		9	11.3	3
Hoshiarpur Jullundur Karnal	•			:	56 240 87	I	20 09 36	18 · 23 ·	7	••	•••		 16 2	1 3 2	 6	••	4 46 7	3·7 10·0 4·2	I Io
Ludhiana					200	9	9	25.	8.				9		6		17	4.4	11
Moga† Panipat					75	3	б	25.	ο.				10				12	8.3	5
Pathankot Rewari Rohtak		•	•	:	38 37 100	I	0 2 0	27. 16. 26.	٠.			••	 2 6	 	 	••	4 2 16	5·5 2·8 8·3	3 1 6
Simla Sonepat Bhatinda	•	:	:	:	54 37 47		20 2 3 9	19· 32 10·	4	••	••	••	1 2 3	•••	 1	••	4 to 5	3.9 14·1 5.5	 3
Malerkotlaj Patiala	ţ	•			129	į	33	33.	5 ·			••	12	2	4		58	23.4	16
	Т	OTAL			1,700	8:	16	25	۰ .	• •	I	••	93	22	42		312	9.7	. 104
	Ra	jesth	an.																
Ajmer . Alwer Beswar	:	:	:		50 61 67	54 26 II	2	1 · 2 12 · 2 8 · 5	•••		••		8 	 	14	::	37 6 18	7·7 5·1 14·0	7 3 4
Bhararpur† Bikaner† Churu				54	ļ	7	(6· <i>7</i>					ı	••	••		2	1.9	••
Ganganagar Jaipur, Jodhpur†	•		٠	44	13	7 7	9	·o	••		•		38	6	2	••	66	7.7	32
Kotah † Sikar† Tonk†																			
Udaipur†																			
	Тот	AL	•	87.	5	175	I	0.4	••		••	••	60	8	16	••	129	7.7	46
Utt	ar Pi	ader	h																
Agra Allahabad Amroha	•	•	:	31	14 81 62	375 146 39	2	7°2 0°2 32°8	••			••	7 3 11	9 1 2	139 23 7	••	258 47 28	32·4 6·4 23 •5	86 9 9
Bahraich Banares Banda†	:	:	:	4:	19 26 ;	15 39 6		6·0 8·5	::		::	••	5 52	2 10	1 3 0		12 184	12·8 22·5	3 39
Barcilly Basti† Ballia	•	•	•		96 38	4 ² 9		0.6	••		•-	••	4 1	4	6		18 3	4°5 4°1	4

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of Symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fevera; D.D.=Dysentery and Diarrheas; R.D.=Respiratory Discusses; M.D.=Maternal Deaths; D.R.=Death Rate; L.D.=Infantile Deaths (included in total deaths); ..—Nil information.

					Double from:							_		
	Towns	Mid-ye Popn.Es (000)	t. B.	B.R.•	c.	S.	Р.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
	Uttar Pra	desh —contd												
Bijnor Budeun Bulandshek	 u†	- 33 55	10 20	19·0 15·8		••	••	4		2	•• ••	4	6-3 9 -5	3
Chandausi Dehra Dun Brawah		45 187 67	37 59 28	42·9 15·4 21·8	••	••	••	3 3 13	3 1	4 I I	••	13 15 22	15.1 4.2 17.1	8 2 10
Faizabad-A Farukhabad Pirozabad	d-Patchgarh	97 79 95	20 39 15	10·7 25·7 8·2	••	•••	•	··.	3 1	2 1	I	9 13 3	4·8 8·6 1·6	3 6 1
Ghaziabad Ghaziabad	· ·	. 36	21	30.4	••		••	6	τ	••	••	9	13.0	
Gonda	•	. 36	12	17.4	••	••	••	I	• •	I	••	6	8.7	1
Gorakhpur Hapur Hardwar	: :	. 155 . 67 . 76	70 32 25	23.5 24.9 17.1	••	·· ··	••	8 5 10	7 2 1	4 3	0 - 0-0	30 11 23	12.8 8.6 10.1	6 5 4
Haldwani- Kathgodan Hathras Jaunpur	a†.	. 66 . 60	30 25	23·7 21·7			.::	\$	5 1	3 5	 ••	14 18	15.6 11.1	1
Jhansi Kanpur Kasgani		. 842 . 34	63 310 5	24·3 19·2 9·2	 ::	••	••	16 102	26 	57	7	20 3°5 1	7·7 18·9	68 ••
Khurja Koil-Aliga Lucknow	r h	. 41 171 539	11 35 249	14°0 10.7 24°1	••	::	••	4 9 33	2 35	18 	••	6 19 . 152	7·6 4.8 14·7	2 6
Mathura Mau-Nath Meerut	Bhenjant	. 203	67 87	28.9		••	••	11		 6	••	13 23	5·6 5·9	5 6
	Vindhyschai i agar	•	51 98 23	26·1 30.8 14·4	••	••) n	6 12 1	2 4 ··	8 7 3	••	30 42 7	15°3 13.2 4′4	9 17 2
Pilibhit† Rampur† Saharanpu		. 183	86	24'5		••	••	30		4	- •	44	13.5	13
Sam bhal† Sitapur Shahjahan		- 54	16	15,14	••	••	••	1		2	••	5	4.8	2
Tanda† Najibabad Hardoi†														
	TOTAL	- 5,449	2,568	24.6	••	I	••	388	126	334	8	1417	13.2	337
	Andhra Pr	adesh	_			w/e	18-4-59)					_	
Adoni . Anantpur Anakapali		. 76 . 44 . 52	36 73 33	24·6 27·2 33·0	• •	••	••	2 3	I	2 3 3	••	7 10 16	4·8 11·8 16·0	ĭ
Bhimevers Chirala . Chittoor		43 50 51	23 26 30	27·8 27·0 30·6	•••	••	••		 2	ĭ 	••	9 14 	10·9 14·6	1
Cuddapal Ellore Gudivada		. 47 . 112 . 41	43	20·0	::	••		2 5 1	 	3 	, i	17 23 4	18·8 10·7 5·1	I 4 1
Guntur Guntakal		. 175	93	27.6	••	3	••	4		8		73	21.4	8
Kakinada Kurnoolt	• •	. 127	38	15.5	••		••	7	2	••	••	28	11.4	9
Mesulipat Nandyal	mam	. 98 . 41				··. 2		7	2		7	53 9	28.I II '9	

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (including total deaths); ...—Nil information.

								Deaths	from:						
Town	15	Po	id-year pn Est. (000)	B.	B.R.•	C,	s.	Р,	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.
	Andhr	a Pra	deshce	ontd.											
Nellore . Proddutur†			111	112	52.4		••		3	••	. 4	••	24	11.3	7
Rajahmundry	•	•	140	10	3.7	••	••	••	••	••	• •	• •	7 .	2.6	2
Tenali Vijayawada Visakhapatnan	i :	:	78 271 155	47 106 78	3113 2611	••	 I		1 9 11	 2 3	5	::	55 38	7 3 10 6 12 7	2 9 6
Viziangaram Hyderabad Warrangal†	: :	:	83 1,302		23.2 8.6	••	::	::	4 33	4 I	.4	•••	27 173	6.9 16.9	7 3
Nizamabad† Kothagudiam Secunderabad			195	10 6	28.3	••			4	I	5		30	8·o	. 5
Тот	ar .		3,292		18.6	••	7	••	100	22	5 5	3	627	9.9	<i>3</i> 79
Assa	m					w/a	18-4-9	59					·	- •	,,
Gauhati Shillong†	•		60	11	9.7	••			7	2	I		12	10.6	4
Dibrugarh	•	•	57	2	1.8	••		••	• •	• •	••	••			••
Silchar	•	•	62	. 45	40'1	••	. • •		2	• •	• •	• •	,5	4'4	6
Тотл			179	58	16.8	••	• •	••	•	2	I	••	17	4.9	10
	lher						w/o 11	-4-1959	1						
Arrah Bettiah Bhagalpur	: :	:	75 41 136	2 6 17	7·6 6·5	••	••	••	1 2	• • •	••	• •	1 5 15	0·7 6·3 5-7	••
Bihar Chapra Darbhanga		:	71 73 100	9 32 25	6·6 22·8 13·0	••	••	••		 I	••	• •	3 11 3	2.2 7·8 1·6	••
Dhaubad Dinapur Gaya	: :	:	50 45 163	15 11 11	15·6 12·7 3·5	••	••			 6				4.3	••
Hazaribagh			44	15	17.7		.,	.,	٠.			••	44 2	14·0 2·4	••
Jamalpur† Jamahadpur		•	275	112	31.3				3		3		15	2.8	
Katihar† Monghyr† Muzaffarpur†															
Patna . Ranchi .			384 167	77 14	10·4 4·4			• •	2 4	••	I	••	19 21	2·6 6·5	
To	TAL .		1,624	346	11.1				23	8	20		143	4.6	
				- •		10	la 25-4·			-		- •	-43	7.5	• •
Arrab Bettish Bhagalpur†	: :	:	75 41	8	5.6 11.4	::	•••	::	6 2	••			7	4·9 5·1	••
Bihar Chapra Darbhanga†	:	•	71 73	85 32	8•6 22•8	•••	••	••	1	::	••	••	3	2 ·3	::
Dhanbad Dinapur† Gaya†			50	10	10.4	••	••	••	I	••	••	••	6	6.5	••
Hezaribagh† Jemelpur Jamshedpur		:	49 47 5	1 151	1·1 28·6			••		••	2	• · · · · · · · · · · · · · · · · · · ·	1 27	10-8	- 4
Katihar† Monghyr† Muzaffarpur		•,	9 5	14	7*7	••	••	••	б		1		74	6.6	
Pame			384	128	17•3	••	••	••	26				12	10.0 0.0	••
Ranchi†	TOTAL	•	1,113	361	16• 9	••	2	••	44					9'9	••

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used.—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths: D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information, "N.R."—Information not received.

		WE	ek cuan	ug th	2 110	_	1959° ha fron		a.				
Towns	Midyess Popn. Ret. (000)	ь В.	и,н,+	ټ .	<u></u>	P.	F.		R.D.	м.б.	Total	D.R.	I.D.
Delhi	(556)				w/e 18	-4-50							
Delhi City	1,398 6 0 0	340 143	12·6 12·4	::			32 	5 2	17 1	3	119 4 9	4·4 4·2	36 9
Station Delhi	227	147	33.7	••	••	••	5	2	4	••	29	6.6	16
Delhi Cantt. Delhi Shahdara	63 52	49	49.0	• • •	• •	••	2	••		••	 9	9.0	ï
TOTAL	2,340	679	15.1		••		39	9	24	3	206	4.6	61
Kerala				∞/ ≉ II	-4-1959	,							
Alleppeyt	4 5	25	47.0								_		_
Changanacherry Kottayam†	45	27	31.8	••	••	• •	••	••	•••	••	7	* ∗3	7
Ernakulam Mattancherry Q uilon†	7 9 9 7	13 11	8·7 6 .0	••		.:	::		•••	.:	14 4	3.1 3.3	I 2
Triehur Trivandrum Kozhikode	81 256 192	7 19 112	4·5 4·0 30·1	••	•••	••	 2 6	 3	 1 6		2 14 46	7.8 1.3	 2 12
Palghat	84 50 4 3	33 22 29	20·8 23·3 35·1	::	••	••	 I	3 	10 1 3	3 	77 11 12	48·7 11·6 14·6	14 2
Cochin	33	36	56 . 7	••	••	••		2	••	••	8	12.6	3
TOTAL	960	314	17.0				10	9	I	3	195	10.6	3
Madhya Pradesh				w /-	11-4-	59							
Bilasput† Burhanpur	8 ₇ 48	54 24	32·2 26·0	••			9 16		4 6	••	21 30	12.2	••
Jabalpur Khandwa Raipur†	²⁷⁷ 66	150 17	13.3 38.1	•••		·:.	9	4	12 4	ı 	49 12	9·1	10
Murwara† Sagar† Chindwara†													
Raigath	41	6	7.6					2	••	••	2	2.5	
Itarei† Greater Gwalior	304	76	13.0				4		I		18	30.0	
Indore Ratlam Ujjain†	441 84	141 15	16·6 9·2	••	::	••	13 5	2	3 2	.:	[83	9·7 11·7	26 2
Bhopal City Mandsaur	132 50	83 IO	32.6 10.4			••	3	1	7	··.	32	12.6	2
Total .	1,530	576	19.5		••	••	63	12	5 6	1	26 6	9'0	40
Madhya Pradeck			w/s 18	-4-59								-	•-
Bilaspur† Burhanpur Demoh	87 48	56 17	33.4 18.4	••	••	••	11 5	1 3	6 3	• •	27 16	16'1	••
Jabalpur	277 66	151 16	28·3 12·6	::	::	••	4 7	2	6	ı	65 13	10.3	25
Murwarat													
Sagar Chindwara	33	17	26· 7	••	3	••	4	••	2	• •	τ8	28.3	
Raigarh	41	5	6.3		••			3	2	ı	11	13.9	3
Itarsi† Greater Gwallor	304	42	7.1			••	I		I	••	13	212	r
Indore	44I	182	21.4	••	1	••	8	٠.	18		107	12.6	29
Ratlam Ujjain	84 190	8 4 2	4·9		••	::	15 23	6	::	ī	28 54	14.7	15
Bhopal City	132 50	79 6	31·1	••	••		1 2	I I	5 1	•	27 4	10·6	
TOTAL	1,753 6	21	18.4	••	4		81	17	44	3	383	11.3	74

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of Symbols used:—B.=Births; B. R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fevers; D. D.=Dysentery and Diarrhoea; R. D.=Respiratory Diseases; M. D.=Maternal Deaths; D. R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information.

								Death	ıs from	1-					
	Towns	P	Mid-year opn. Est. (000)	В.	B.R.•	c.	s.	Р,	-~	D,D,	R.D.	M,D	Total'	D.R •	I.D.
W	est Beng	al					w/e	28-3 - 59	•						
Asansol†	_														
Baidyabati† Bally			76	8	5.2		••	••	2	1	3		9	6.5	2
Bankura		-	~ 2												
Bansberia+ Baranagar†	÷		52	••	••	••	••	••	••	••	••	••	2	2.0	••
Basirhat		ν.	44	5	5.9	••	,					, .	2	2.4	
Berhampur Bhadreswai		:	71 45	55 4	40'4 4'6	::	• •	••		••	···	••	II 2	8 i 2 3	1
Bha para			152	17	e - 8				6		•		20		
Burdwan	• •	·	87	11	5·8		ï			2	3	ř	20 10	6.9 6∙o	6
Calcutta			2,982	904	15.8	3	3	••	22	40	133	••	510	8.8	135
Champadan Cooch-Beha		•	41	6	7•6	••	••	••	:.	••	••	••	1	1.3	• •
Darjeeling	•	•	40	12	15.6	••	••	• •	5	••	2		13	16.9	••
English Baz			-04		4-0				-	_			_		
Garden Rea Halisahar	cn .		134 44	••	4.3	••	••	• • •			••	••	. .	1.9	
Hooghly-Ch	insura		64	31	25.3			• •	I	2			9	7:3	r
Howrah Jalpaiguri†		•	486	97	10.4	I	•	••	3	7	38	ı	100	10.7	28
Kamarhati†															
Kanchrapar Krishnagar		•	105 73		0.5	• •	• • •	••	•••	••		••	3	1.2	
Midnapur			47	38	42.2								20	22.2	
Nabadwip Nalhati			00	23 2	13·6 1·5	::	•••		9	ï			10 3	5·9 2·3	2 2
North Barra	ekpore .		37								2		4	5.6	
Panihati† Santipur			57	5	4.6					٠.				٠.,	
Sehrampur			95	15	8.2				2	1	3		16	8 *8	
Siliguri†	I)			_										0 0	3
South Dum		•	114	• •		••	••	••	••	• •		••		•	••
South Subur Titagarh	rban .		157 86	19 11	6·3 6·7	• •	8	* *	18	4	3 4	• •	15	21·2	5
Purulia	: :		53	5	4.9	•••	••	•••	I		••	::	35 3	3.0	
Budge Budg Chandranag	e†		62	39	32.8		ı			I	2		15	12.6	
Kharagpurt				37	J2 0	••	•	••	• •	•	_	••	13	12.0	**
То	TAL '	•	5361	1319	12.8	4	13	••	73	60	195	2	819	8.0	191
	Punjab				S	upplen	nentary	Figure							
						w/e	21-3-1	1959							
Ferozepur			48 46	24	26·I				1		2		9	9.8	••
Moga Pathankot		•	46 38	38 27	43·1		• •	••	3 1	••	I I	• •	10 4	11.3	,22
Tathankot	,		٥,0	-,	57 0		/ø 18 - 4-		-	••	•	••	*	5.2	••
Malerkotla			36	26	37.7			,,	3			,.	5	7.2	•-
							25-4-5		-				-	, :-	- -
Ferozepur Moga		•	48 46	13 18	14 · I 20 · 4				4 1	1		••	10 2	10·9 2·3	2
	jasthan		-	•	_		ntary f						•	•	-
	, 					_	25 - 4-5								
Kotah			85	5	3.1	,-			6		2	1	21	12.8	3
Sikar			57	1	0.9							• •		••	
Udaipur		•	125	26	11.6			• • •	· · ·	•	. 2	••	4	1.7	Ţ

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of Symbols used.—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Ocaths (included in total deaths).; ...—Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending 2nd May, 1959, relate to 100 towns from the states of Madras, Orissa, Pondicherry, Punjab, Rajasthan and Uttar Pradesh with a population of 14,206 thousand out of a total population of 48,772 thousands in 324 towns of the Country

The nubmer of births and deaths recorded in these towns were 7,962 and 3,411 registering birth and death rates of 29.1 and 12.5 per thousand of population respectively.

States						Curren	t <i>w e 2-5-</i> 59	Corresponding to/a last year				
						B.R.	D.R.	B.R.	D.R.			
Madras	•			•	•	36.4	12.8	33.7	14.6			
Orissa		•	•	•	•	42.2	19.8	35.8	17•6			
Pondicherry	•	•	•			73°4	9 .1	56.6	19.9			
Punjab			•	•		25.0	9•7	27.5	13.0			
Rajasthan		•			•	10.4	7 •7	8.8	14.0			
Uttar Prade	eh			•	•	24.6	13.2	20.4	14.3			
India	•	•	•		•	29•1	12-5	26•5	14.3			

NEW DELHI-2 (India);

The 24th May, 1959.

H. R. SHARMA, for Registrar General India.